

# G 3800

High power: the G 3800 petrol-engined pressure washer with robust steel frame and folding handle is powered by a Kärcher KXS<sup>®</sup> 196 cm<sup>3</sup> four-stroke engine.







Order No.

#### 9.507-268.0

Technical data		
EAN code		9314900000437
Pressure	Pounds per square inch	Maximum 3800
Flow rate	Litres per minute	Maximum 10
Feed temperature	Celsius	Maximum 50
Drive type		Petrol
Drive		Four-stroke engine
Engine manufacturer		Kärcher
Engine type		KXS
Cylinder capacity	CC <sup>3</sup>	196

High Pressure Hose with Quick Connect Couplings	Metre	15
High-pressure hose		Rubber
Commercial-grade Trigger Gun with Child Safety Lock		•
Integrated Hose, Trigger Gun and Spray Wand Holder		•
Cleaning agent tank		•
Cleaning agents		Universal Cleaner
Quick Connect Kärcher Standard nozzles detergent		•
Bottle of engine oil with funnel		•
Pump up tyres		
Tap adapter with water filter		





#### petrol engine

 Makes it possible to work without the need for a power supply and therefore achieve maximum freedom of movement.

### KARCHER

## EQUIPMENT FOR G 3800 9.507-268.0



		Order No.	Description		
FOAM SYSTEMS					
Cup foam lance					
Snow Cannon, 7.5 Litres per minute – 5.5 Litres per minute	1	9.739-252.3	Professional Snow Cannon, with 3 $\times$ adaptors which can be used across the Professional and Home & Garden range of pressure washers.		
■ Included in delivery. □ Available accesso	ries.	O Cleaning a	igents.		